

° PITLOCK -SETS M5/M6



\*FW = front wheel  
RW = rear wheel  
SP = seat post  
GA S = ahead system - silver plug  
GA B = ahead system - black plug  
L = headlight  
H = headlight holder  
BR = brakes (rim- or disc)  
AUS = removable dropouts  
SA = saddle directly  
PIT = Pit-key

All sets contain a PIT key and a code card!

catalog page	article	content* + 1PIT + code card	product number stainless steel color	sell price €	product number stainless black	sell price €
10	Set 01	FW+SP	PO10000	43,90	BP010000	57,90
10	Set 01/ GA S	FW+SP+GA S	PO1GS00	60,90	BPO1GS00	74,90
10	Set 01/ GA B	FW+SP+GA B	PO1GB00	60,90	BPO1GB00	74,90
11	Set 02	FW+RW+SP	PO20000	59,90	BPO20000	74,90
11	Set 02/ BR	FW+RW+SP+BR	PO2002B	90,90	BPO2002B	109,90
12	Set 02/ GA S	FW+RW+SP+GA S	PO2GS00	73,90	BPO2GS00	92,90
12	Set 02/ GA B	FW+RW+SP+GA B	PO2GB00	73,90	BPO2GB00	92,90
12	Set 02/ GA S/BR	FW+RW+SP+GA S+BR	P02GS2B	105,90	BP02GS2B	124,90
12	Set 02/ GA B/BR	FW+RW+SP+GA B+BR	P02GB2B	105,90	BP02GB2B	124,90
13	Set 02/ LH	FW+RW+SP+L+H	PO200LH	86,90	BPO200LH	109,90
13	Set 03	FW+RW	PO30000	43,90	BPO30000	57,90
15	Set 03/ GA S	FW+RW+GA S	PO3GS00	60,90	BPO3GS00	74,90
15	Set 03/ GA B	FW+RW+GA B	PO3GB00	60,90	BPO3GB00	74,90
15	Set 03/ LH	FW+RW+L+H	PO300LH	72,90	BPO300LH	99,90
16	Set 04	FW	PO40000	31,90	BPO40000	37,90
16	Set 05	RW	PO50000	31,90	BPO50000	37,90
16	Set 06	SP	PO60000	31,90	BPO60000	37,90
16	Set 07	RW+SP	PO70000	43,90	BPO70000	57,90
17	Set 08	AUS	PO80000	30,90	BPO80000	35,90
17	Set 09 S	GA S	PO9S000	28,90		
17	Set 09 B	GA B	PO9B000	28,90		
17	Set 11 double	2 x BR	P11002D	50,90	BP11002D	52,90
17	Set 11 single	1 x BR	P11001D	37,90	BP11001D	36,90
18	Set 12	L	P120000	27,90	BP120000	32,90
18	Set 13	L+H	P130000	43,90	BP130000	57,90
18	Set 14 (N)	SA direct	P140S31	34,90	BP140S31	39,90
18	Set 15	BionX - security	P150000	37,90	BP150000	44,90

° PITLOCK thru axle security

catalog page	article	content	product number		sell price €
22	<b>Set 17</b>	MAXLE thru axle <b>front 15x100 mm</b> + PIT-Key	P170000		<b>69,90</b>
	<b>Thru axle - replacement</b>	MAXLE thru axle <b>front 15x100 mm</b>	PNC15ML		<b>60,90</b>
22	<b>Set 17 B</b>	MAXLE thru axle <b>front 15x110 mm</b> + PIT-Key	P17B000	<b>boost (110)</b>	<b>69,90</b>
	<b>Thru axle - replacement</b>	MAXLE thru axle <b>front 15x110 mm</b>	PNC15MB	<b>boost (110)</b>	<b>60,90</b>
22	<b>Set 18</b>	FOX thru axle <b>front 15x100 mm</b> + PIT-Key	P180000		<b>69,90</b>
	<b>Thru axle - replacement</b>	FOX thru axle <b>front 15x100 mm</b>	PNC15FR		<b>60,90</b>
22	<b>Set 18 B</b>	FOX thru axle <b>front 15x110 mm</b> + PIT-Key	P18B000	<b>boost (110)</b>	<b>69,90</b>
	<b>Thru axle - replacement</b>	FOX thru axle <b>front 15x110 mm</b>	PNC15FB	<b>boost (110)</b>	<b>60,90</b>
22	<b>Set 19</b>	STEVENS thru axle <b>front 15x100 mm</b> + PIT-Key	P190000	<b>with special built-in socket</b>	<b>76,90</b>
	<b>Thru axle - replacement</b>	STEVENS thru axle <b>front 15x100 mm</b>	PNC15ST	<b>with special built-in socket</b>	<b>67,90</b>
23	<b>Set 20</b>	MAXLE thru axle <b>rear 12x142 mm</b> + PIT-Key	P200000		<b>69,90</b>
	<b>Thru axle - replacement</b>	MAXLE thru axle <b>rear 12x142 mm</b>	PNC12ML		<b>60,90</b>
23	<b>Set 20 B</b>	MAXLE thru axle <b>rear 12x148 mm</b> + PIT-Key	P20B000	<b>boost (148)</b>	<b>69,90</b>
	<b>Thru axle - replacement</b>	MAXLE thru axle <b>rear 12x148 mm</b>	PNC12MB	<b>boost (148)</b>	<b>60,90</b>
23	<b>Set 21</b>	SUNTOUR thru axle <b>front 15x100 mm</b> + PIT-Key	P210000		<b>65,90</b>
	<b>Thru axle - replacement</b>	SUNTOUR thru axle <b>front 15x100 mm</b>	PNC15SU		<b>55,90</b>
	<b>Set 21 B</b>	SUNTOUR thru axle <b>front 15x110 mm</b> + PIT-Key	P21B000		<b>65,90</b>
	<b>Thru axle - replacement</b>	SUNTOUR thru axle <b>front 15x110 mm</b>	PNC15SB		<b>55,90</b>
23	<b>Set 22</b>	SUNTOUR thru axle <b>front 15x100 mm</b> + PIT-Key	P220000	<b>for narrow dropouts (10mm)</b>	<b>65,90</b>
	<b>Thru axle - replacement</b>	SUNTOUR thru axle <b>front 15x100 mm</b>	PNC15SK	<b>for narrow dropouts (10mm)</b>	<b>55,90</b>
23	<b>Set 23</b>	ROAD thru axle <b>front 12x100 mm</b> + PIT-Key	P230000	<b>Available in 120mm or 125 mm length</b>	<b>59,90</b>
	<b>Thru axle - replacement</b>	ROAD thru axle <b>front 12x100 mm</b>	PNC12MR	<b>Available in 120mm or 125 mm length</b>	<b>50,90</b>
	<b>Set 24</b>	E-THRU thru axle <b>rear 12 x 142 mm</b> + PIT-Key	P240000		<b>69,90</b>
	<b>Thru axle - replacement</b>	E-THRU thru axle <b>rear 12 x 142 mm</b>	PNC12ET		<b>60,90</b>
	<b>Set 24 B</b>	E-THRU thru axle <b>rear 12 x 148 mm</b> + PIT-Key	P24B000	<b>boost (148)</b>	<b>69,90</b>
	<b>Thru axle - replacement</b>	E-THRU thru axle <b>rear 12 x 148 mm</b>	PNC12EB	<b>boost (148)</b>	<b>60,90</b>

## ° PIT-Stoppers and Pitlock accessories

catalog page	article	content	product number	sell price €
--------------	---------	---------	----------------	--------------

### PIT-STOPPER

23	<b>Pit- Stopper M5</b>	2 stopper for M5 hexagon socket + 1 special screw	PSM0521	The Pit Stopper are available in stainless steel (without color) only.	<b>10,50</b>
	<b>Pit- Stopper M6</b>	2 stopper for M6 hexagon socket + 1 special screw	PSM0621		<b>10,50</b>
	<b>Pit- Stopper M8</b>	2 stopper for M8 hexagon socket + 1 special screw	PSM0821		<b>10,50</b>
	<b>Pit- Stopper M10</b>	2 stopper for M8 hexagon socket + 1 special screw	PSM1021		<b>10,50</b>

### Accessories

34	<b>equipment</b>	1 Lever tool with key ring	PNOTOOL	<b>8,95</b>
	<b>Key chain</b>	Carabiner hook with blue ribbon and key ring	PNZBH01	<b>2,90</b>
	<b>Spare parts kit</b>	2 rubber band, 2 caps, 1 key chain, 1 sticker, 10 spring washers, 10 teflon wahsers	PNOETKO	<b>15,90</b>

### Protective caps

26	<b>cap</b>	endcap for M5-axis	O	PNOEK00	<b>4,00</b>	BPNOEK00	<b>6,10</b>
25	<b>alu flat cap</b>	aluminum cap for ahead and closure		PNOFCSI	<b>4,00</b>	PNOFCSW	<b>4,00</b>

### Saddle clamps

26	<b>saddleclamp</b>	28,6 mm	X	PNOSS28N	<b>9,20</b>	PNOSB28N	<b>9,20</b>
		31,8 mm	X	PNOSS31N	<b>9,20</b>	PNOSB31N	<b>9,20</b>
		34,9 mm	X	PNOSS34N	<b>9,20</b>	PNOSB34N	<b>9,20</b>
		30 mm (with spacer )	O	PNOSS30S	<b>11,30</b>	PNOSB30S	<b>11,30</b>
		40 mm	O	PNOSS40N	<b>11,60</b>	PNOSB40N	<b>16,90</b>
	<b>Spacer saddleclamp</b>	saddle clamp spacer 34,9mm to 30,0mm		PSPACERO	<b>2,05</b>		
26	<b>saddleloop</b> special lengths possible	stainless steel rope 3 mm with loops 300mm	O	PNOL300	<b>11,30</b>		
		stainless steel rope 3 mm with loops 400mm	O	PNOL400	<b>11,30</b>		

**The Pitlock system requires a saddle clamp with a flat pressing surfaces, so that the individual parts of the closure can be tightened parallel!**

°repurchase INDIVIDUAL PARTS M5/M6 WITHOUT CODE

catalog page	article	content*	X=standard	product number	sell price €	product number	sell price €
		installation width / total axle length	O=special lenght	steel color		stainless black	
24	<b>axis with head without closure</b>	front wheel 119/129 mm axis	X	PNOA119	<b>8,20</b>	BPNOA119	<b>10,20</b>
		front wheel 130/140 mm axis	O	PNOA130	<b>8,20</b>	BPNOA130	<b>10,20</b>
		rear wheel 155/165 mm axis	X	PNOA155	<b>8,20</b>	BPNOA155	<b>10,20</b>
		rear wheel 170/180 mm axis	O	PNOA170	<b>8,20</b>	BPNOA170	<b>10,20</b>
		seat post/headlight 23/33 mm axis	O/X	PNOA023	<b>8,20</b>	BPNOA023	<b>10,20</b>
		seat post/headlight 33/43 mm axis	X/O	PNOA033	<b>8,20</b>	BPNOA033	<b>10,20</b>
		seat post/headlight 45/55 mm axis	O/X	PNOA045	<b>8,20</b>	BPNOA045	<b>10,20</b>
		seat post/headlight 60/70mm axis	O	PNOA060	<b>8,20</b>	BPNOA060	<b>10,20</b>
24	<b>universal axis with head without closure</b>	universal axis 240/250 mm continious thread	O	PNOA240	<b>16,40</b>	BPNOA240	<b>18,50</b>
25	<b>aluminium plug for Ahead special sizes possible</b>	aluminium plug 1 1/8" silver	X	PNOGS00	<b>9,20</b>		
		aluminium plug 1 1/8" black	X	PNOGB00	<b>9,20</b>		
25	<b>pressure washer</b>	for front wheel/ rear wheel/ headlight	X	PNOAR00	<b>5,10</b>	BPNOAR00	<b>6,10</b>
		for seat post	X	PNOAS00	<b>5,10</b>	BPNOAS00	<b>6,10</b>
25	<b>security ring</b>	for M5/M6 systems	X	PNOSR00	<b>6,10</b>	BPNOSR00	<b>7,10</b>
25	<b>spring washer</b>	consumable part M5 systems	X	PNOFS00	<b>5,10</b>		
25	<b>teflon ring</b>	consumable part M5/M6 systems	X	PNOTS00	<b>4,00</b>		

°repurchase individual parts M5/M6 WITH CODE

catalog page	article	content*	X=standard	product number	sell price €	product number	sell price €
		installation width / total axle length	O=special lenght	steel color		stainless steel black	
28	PIT-key	coded key for M5 systems	X	PNCOPIT	15,40		
27	axis with head with closure	front wheel 119/129 mm axis + closure	X	PNCA119	21,50	BPNCA119	26,70
		front wheel 130/140 mm axis + closure	O	PNCA130	21,50	BPNCA130	26,70
		rear wheel 155/165 mm axis + closure	X	PNCA155	21,50	BPNCA155	26,70
		rear wheel 170/180 mm axis + closure	O	PNCA170	21,50	BPNCA170	26,70
		seatpost 23/33 mm axis + closure	O/X	PNCA023	21,50	BPNCA023	26,70
		seatpost 33/43 mm axis + closure	X/O	PNCA033	21,50	BPNCA033	26,70
		seatpost 45/55 mm axis + closure	O/X	PNCA045	21,50	BPNCA045	26,70
		seatpost 60/70 mm axis + closure	O	PNCA060	21,50	BPNCA060	26,70
		headlight 23/33 mm axis + closure	X	PNCAL23	21,50	BPNCAL23	26,70
		headlight 33/43 mm axis + closure	O	PNCAL33	21,50	BPNCAL45	26,70
		headlight 45/55 mm axis + closure	X holder	PNCAL45	21,50	BPNCAL45	26,70
headlight 60/70 mm axis + closure	O	PNCAL60	21,50	BPNCAL60	26,70		
28	universal axis Special length	universal axis 240/250 mm with closure with continuous thread	O	PNCA240	29,80	BPNCA250	35,90
28	ahead backup special sizes available	aluminiumplug 1 1/8" silver + M6 screw	X	PNCGS00	23,60		
		aluminiumplug 1 1/8" black + M6 screw	X	PNCGB00	23,60		
28	dropout backup	dropout axis with threaded bush M8+ closure	X	PNCA000	24,60	BPNCA000	30,80
28	coded nut M5	coded nut for M5 systems	X	PNCCM00	7,10		
29	M6 backup brakes + headlights	M6 double-2 M6 coded screws incl. equipment	X	PNC02B0	40,10	BPNC02B0	44,20
		M6 single-1 M6 coded screw incl. equipment	O	PNC01B0	20,50	BPNC01B0	22,60
29	closure M5	closure for front wheel/rear wheel/ headlight	X	PNC00VR	16,40	BPNC00VR	20,50
		closure for seat post/saddle direct	X	PNC00VS	16,40	BPNC00VS	20,50
29	saddle direct saddle axis, clamp compensation rubber	with rubber + clamp 28,6 black	O	PNCDB28N	28,80	BPNCDB28N	34,90
		with rubber + clamp 28,6 silver	O	PNCDS28N	28,80	BPNCDS28N	34,90
		with rubber + clamp 31,8 black	O	PNCDB31N	28,80	BPNCDB31N	34,90
		with rubber + clamp 31,8 silver	X	PNCDS31N	28,80	BPNCDS31N	34,90
		with rubber + clamp 34,9 black	O	PNCDB34N	28,80	BPNCDB34N	34,90
		with rubber + clamp 34,9 silver	O	PNCDS34N	28,80	BPNCDS34N	34,90

## °Solid axle locks

catalog page	article	content	Product number Stainless steel colour	sell price in € (silver)	Product number black	sell price in € (black)
30/31	Set SH38 single	1 closure, 1 Pit-Key,1 Codecard	PVS381V	54,90	BPVS381V	57,90
	Set SH38 double	2 closure, 1 Pit-Key, 1 Codecard	PVS382V	79,90	BPVS382V	85,90
30/31	Set SH90 single	1 closure, 1 Pit-Key,1 Codecard	PVS901V	54,90	BPVS901V	57,90
	Set SH90 double	2 closures, 1 Pit-Key,1 Codecard	PVS902V	79,90	BPVS902V	85,90
30/31	Set M10 single	1 closure, 1 Pit-Key,1 Codecard	PVM101V	54,90	BPVM101V	57,90
	Set M10 double	2 closures, 1 Pit-Key,1 Codecard	PVM102V	79,90	BPVM102V	85,90
30	Combination set - Shimano	1 closure SH 38, 1 closure SH90 1 Pit- Key, 1 Codecard	PVS9038	79.9	BPVS9038	85,90

## °Solid axle locks repurchase and spare parts

catalog page	article	content	Product number Stainless steel colour	sell price in € (silver)	Product number black	sell price in € (black)
32	closure SH38	in every closure: level washer, security ring teflon ring, coded nut	PVS38V0	30,80	BPVS38V0	33,90
	closure SH90		PVS90V0		BPVS90V0	
	closure M10		PVM10V0		BPVM10V0	
31	coded nut SH38	1 coded nut	PVS38CM	14,30		
	coded nut SH90		PVS90CM			
	coded nut M10		PVM10CM			
<b>32</b>	<b>Pit-Key</b>	<b>1 Pit-Key</b>	<b>PV00PIT</b>	<b>27,70</b>		
31	level washer	level washer pair of stainless steel 1 pack with two pairs	PV00TSP	6,10		
32	teflon ring	teflon ring 1 pack with two pieces	PV000TS	3,00		
32	security ring	1 security ring	PV000SR	10,20	BPV000SR	13,20

## °Flat Cap for solid axle

	Alu Flat Cap	1 aluminium cap, 1 rubber ring	PVOFCSI	6,10	BPVOFCSW	8,20
--	--------------	--------------------------------	---------	------	----------	------

**Due to different thread sizes, solid axle and quick release axle safety mechanisms are not compatible.**